




## DORMA Universal corner and centre locks

This range of locks fulfils the widest possible variety of functional and visual requirements. The product palette offers top, bottom and centre locks with glass cut-out; corner and centre locks for drilled holes; and slide-over corner locks. (For details of other locks, see Section 3 "Fittings for toughened glass internal doors").

All locks can alternatively be supplied prepared for round cylinders. Anti-panic locks with lever handle or push bar available on request.

Optimal matching with all patch fittings:  
DORMA Universal corner locks, centre locks and strike boxes. The locks are provided with security roses and are prepared for profile or round cylinder.






**DORMA Universal top,  
bottom and centre locks for glass cut-out**


**US 10 - 03.206**

Corner lock with security rose, prepared for Europrofile cylinder, bolt projection 20 mm




**GK 30 - 03.230**

Single overpanel strike box to suit US 10 corner lock




**05.190**

Lock keeper plate, stainless steel, adjustable  $\pm 5$  mm




**GK 20 - 03.245**

Double overpanel strike box to suit US 10 corner locks



**US 20 - 03.210**

Centre lock with security rose, prepared for Euro-profile cylinder, bolt projection 20 mm





**GK 50 - 03.224**

Strike box to suit US 20 centre lock

**GK 40 - 03.250**


Corner overpanel strike box to suit US 10 corner lock






**Corner lock and strike box for drilled holes**


**05.100** Corner lock, for vertical or horizontal fixing, prepared for Euro-profile cylinder, bolt projection 20 mm  
**05.103** ... with shortened counter plate to give 15 mm free glass edge



**05.108** Strike box for corner lock, for single door




**05.110** Double strike box for corner locks, for double doors




**Slide-over corner lock and strike plate without glass preparation, for 10 mm glass thickness**


**05.106** Slide-over corner lock, for vertical or horizontal fixing, prepared for Europrofile cylinder, bolt projection 20 mm



**05.112** Slide-over strike box for slide-over corner lock, for single door




**05.113** Double slide-over strike box for slide-over corner locks, for double doors





## Centre locks with rectangular or rounded case




For details of other lock models and options, see Section 3 for DORMA Junior-Office Classic and DORMA Junior-Office product ranges.



**Centre locks and strike boxes,  
10 mm glass thickness**


**05.210/05.211\***

Centre lock with lockable latch, nightlatch function, prepared for Europrofile cylinder




**05.212/05.213\***

Strike box to suit centre lock (nightlatch function)




**05.200**

Hook lock for sliding door, nightlatch function, prepared for Europrofile cylinder, non-handed




**05.201**

Strike box to suit hook lock




**11.216/11.217\***

Centre lock for double-action door, prepared for Europrofile cylinder




**11.218/11.219\***

Strike box to suit centre lock




**11.220/11.221\***

Centre lock for single-action door (with free glass edge), prepared for Europrofile cylinder




**11.222/11.223\***

Strike box to suit centre lock for single-action door




**11.224/11.225\***

Centre lock for single-action door (with free glass edge), with latch and lock bolt, without external lever handle, prepared for Europrofile cylinder



**11.206/11.207\***

Strike box to suit centre lock for single-action door





**11.226**

Lever handle to suit centre lock, for inside, aluminium

**11.227**

... polyamide  
(nylon) coated steel



If used on doors in rebated frames, a minimum frame depth of 28 mm is required

\*LH/LR